

## **2022 ICD-10 CM New, Revised, and Deleted Codes**

### **A Complete Guide to Helping You Understand Code Revisions in 2022**

This workbook details all new, revised, and deleted ICD-10 CM codes for 2022. To use this guide, click on the tabs located below to view revised codes, new codes, and deleted codes by specialty.

Questions? Open a coding case using your Connect portal.

Drugs						
New						
2022 ICD-10 Codes						
Substance	Poisoning Accidental (Unintentional)	Poisoning Intentional self- harm	Poisoning Assault	Poisoning Undetermined	Adverse effect	Underdosing
Cannabinoids, synthetic	T40.721	T40.722	T40.723	T40.724	T40.725	T40.726
Synthetic cannabinoids	T40.721	T40.722	T40.723	T40.724	T40.725	T40.726
Revised or Deleted						
2022 ICD-10 Codes						
Substance	Poisoning Accidental (Unintentional)	Poisoning Intentional self- harm	Poisoning Assault	Poisoning Undetermined	Adverse effect	Underdosing
Afghanistan black	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Bhang	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Cannabinol	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Cannabis (derivatives)	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Central nervous system - depressants - - cannabis sativa	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Dronabinol	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Ganja	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Hashish	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716

Indian - hemp	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Lebanese red	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Marihuana	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Marijuana	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Nabilone	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Pot	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
Tetrahydrocannabinol	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
THC	Revise from:T40.7X1 to:T40.711	Revise from:T40.7X2 to:T40.712	Revise from:T40.7X3 to:T40.713	Revise from:T40.7X4 to:T40.714	Revise from:T40.7X5 to:T40.715	Revise from:T40.7X6 to:T40.716
<b>Venom, venomous (bite) (sting)</b> - marine - - animals Delete: - - - Portuguese Man-o-war Add: - - - Portuguese Man-o-war						

## New, Revised, and Deleted

### New

2022 ICD-10 Codes

Code	Description	Additional Guidelines
A79.82	<b>Anaplasmosis [A. phagocytophilum]</b> <i>Transfusion transmitted A. phagocytophilum</i>	
C56.3	<b>Malignant neoplasm of bilateral ovaries</b>	
C79.63	<b>Secondary malignant neoplasm of bilateral ovaries</b>	
C84.7A	<b>Anaplastic large cell lymphoma, ALK-negative, breast</b> <i>Breast implant associated anaplastic large cell lymphoma (BIA-ALCL)</i>	<b>Use additional code to identify:</b> breast implant status (Z98.82) personal history of breast implant removal (Z98.86)
D55.21	<b>Anemia due to pyruvate kinase deficiency</b> <b>PK deficiency anemia</b> Pyruvate kinase deficiency anemia	<b>Excludes1:</b> drug-induced enzyme deficiency anemia (D59.2)
D55.29	<b>Anemia due to other disorders of glycolytic enzymes</b> Hexokinase deficiency anemia Triose-phosphate isomerase deficiency anemia	<b>Excludes1:</b> drug-induced enzyme deficiency anemia (D59.2)
D75.838	<b>Other thrombocytosis</b> Reactive thrombocytosis Secondary thrombocytosis	<b>Code also underlying condition, if known and applicable</b>
D75.839	<b>Thrombocytosis, unspecified</b> <b>Thrombocythemia NOS</b> <b>Thrombocytosis NOS</b>	
D89.44	<b>Hereditary alpha tryptasemia</b>	Includes: defects in the complement system immunodeficiency disorders, except human immunodeficiency virus [HIV] disease sarcoidosis  <b>Excludes1:</b> autoimmune disease (systemic) NOS (M35.9) functional disorders of polymorphonuclear neutrophils (D71) human immunodeficiency virus [HIV] disease (B20)  <b>Excludes1:</b> aggressive systemic mastocytosis (C96.21) congenital cutaneous mastocytosis (Q82.2) (non-congenital) cutaneous mastocytosis (D47.01) (indolent) systemic mastocytosis (D47.02) malignant mast cell neoplasm (C96.2-) malignant mastocytoma (C96.29) mast cell leukemia (C94.3-) mast cell sarcoma (C96.22) mastocytoma NOS (D47.09) other mast cell neoplasms of uncertain behavior (D47.09) systemic mastocytosis associated with a clonal hematologic non-mast cell lineage disease (SM-AHNMD) (D47.02)  <b>Use additional</b> code, if applicable, for: allergy status, other than to drugs and biological substances (Z91.0-) personal history of anaphylaxis (Z87.892)

E75.244	<b>Niemann-Pick disease type A/B</b> Acid sphingomyelinase deficiency type A/B (ASMD type A/B) Chronic neurovisceral acid sphingomyelinase deficiency	<p><b>Excludes1:</b> androgen insensitivity syndrome (E34.5-) congenital adrenal hyperplasia (E25.0) hemolytic anemias attributable to enzyme disorders (D55.-) Marfan's syndrome (Q87.4) 5-alpha-reductase deficiency (E29.1)</p> <p><b>Excludes1:</b> mucopolipidosis, types I-III (E77.0-E77.1) Refsum's disease (G60.1)</p>
F32.A	<b>Depression, unspecified</b> Depression NOS Depressive disorder NOS	<p><b>Includes:</b> single episode of agitated depression single episode of depressive reaction single episode of major depression single episode of psychogenic depression single episode of reactive depression single episode of vital depression</p> <p><b>Excludes1:</b> bipolar disorder (F31.-) manic episode (F30.-) recurrent depressive disorder (F33.-)</p>
F78.A1	<b>SYNGAP1-related intellectual disability</b>	<p><b>Code first</b> any associated physical or developmental disorders <b>Excludes1:</b> borderline intellectual functioning, IQ above 70 to 84 (R41.83)</p> <p><b>Code also, if applicable, any associated:</b> autism spectrum disorder (F84.0) autistic disorder (F84.0) encephalopathy (G93.4-) epilepsy and recurrent seizures (G40.-) other pervasive developmental disorders (F84.8) pervasive developmental disorder, NOS (F84.9)</p>
F78.A9	<b>Other genetic related intellectual disability</b>	<p><b>Code first</b> any associated physical or developmental disorders <b>Excludes1:</b> borderline intellectual functioning, IQ above 70 to 84 (R41.83)</p> <p><b>Code also, if applicable, any associated disorders</b></p>
G04.82	<b>Acute flaccid myelitis</b>	<p><b>Includes:</b> acute ascending myelitis meningoencephalitis meningomyelitis</p> <p><b>Excludes1:</b> encephalopathy NOS (G93.40)</p> <p><b>Code also</b> any associated seizure (G40.-, R56.9)</p>
G44.86	<b>Cervicogenic headache</b>	<p><b>Excludes1:</b> transverse myelitis (G37.3) <b>Excludes1:</b> headache NOS (R51.9) <b>Excludes2:</b> atypical facial pain (G50.1) headache due to lumbar puncture (G97.1) migraines (G43.-) trigeminal neuralgia (G50.0)</p> <p><b>Code also</b> associated cervical spinal condition, if known</p>

G92.00	<b>Immune effector cell-associated neurotoxicity syndrome, grade unspecified</b> ICANS, grade unspecified	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.01	<b>Immune effector cell-associated neurotoxicity syndrome, grade 1</b> ICANS, grade 1	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.02	<b>Immune effector cell-associated neurotoxicity syndrome, grade 2</b> ICANS, grade 2	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.03	<b>Immune effector cell-associated neurotoxicity syndrome, grade 3</b> ICANS, grade 3	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.04	<b>Immune effector cell-associated neurotoxicity syndrome, grade 4</b> ICANS, grade 4	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.05	<b>Immune effector cell-associated neurotoxicity syndrome, grade 5</b> ICANS, grade 5	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)
G92.8	<b>Other toxic encephalopathy</b> Toxic encephalitis Toxic metabolic encephalopathy	Code first underlying cause such as: complications of immune effector cellular therapy (T80.82) Code also associated signs and symptoms, such as seizures and cerebral edema Code also, if applicable: cerebral edema (G93.6) unspecified convulsions (R56.9)"  Code first poisoning due to drug or toxin, if applicable, (T36-T65 with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)



G92.9	<b>Unspecified toxic encephalopathy</b>	<p>Code first underlying cause such as:          complications of immune effector cellular therapy (T80.82)          Code also associated signs and symptoms, such as seizures and cerebral edema          Code also, if applicable:          cerebral edema (G93.6)          unspecified convulsions (R56.9)"</p> <p>Code first poisoning due to drug or toxin, if applicable, (T36-T65 with fifth or sixth character 1-4 or 6)          Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p>
I5A	<b>Non-ischemic myocardial injury (non-traumatic)</b> Acute (non-ischemic) myocardial injury Chronic (non-ischemic) myocardial injury Unspecified (non-ischemic) myocardial injury	<p>Code first the underlying cause, if known and applicable, such as:          acute kidney failure (N17.-)          acute myocarditis (I40.-)          cardiomyopathy (I42.-)          chronic kidney disease (CKD) (N18.-)          heart failure (I50.-)          hypertensive urgency (I16.0)          nonrheumatic aortic valve disorders (I35.-)          paroxysmal tachycardia (I47.-)          pulmonary embolism (I26.-)          pulmonary hypertension (I27.0, I27.2-)          sepsis (A41.-)          takotsubo syndrome (I51.81)          Excludes1: acute myocardial infarction (I21.-)          injury of heart (S26.-)          Excludes2: other acute ischemic heart diseases (I24.-)</p>
K22.81	<b>Esophageal polyp</b>	Excludes1: benign neoplasm of esophagus (D13.0)
K22.82	<b>Esophagogastric junction polyp</b>	Excludes1: benign neoplasm of stomach (D13.1)
K22.89	<b>Other specified disease of esophagus</b> Hemorrhage of esophagus NOS	Hemorrhage of esophagus NOS
	<b>Gastric intestinal metaplasia, unspecified</b>	
K31.A0	Gastric intestinal metaplasia indefinite for dysplasia Gastric intestinal metaplasia NOS	Includes: functional disorders of stomach
K31.A11	<b>Gastric intestinal metaplasia without dysplasia, involving the antrum</b>	Includes: functional disorders of stomach
K31.A12	<b>Gastric intestinal metaplasia without dysplasia, involving the body (corpus)</b>	Includes: functional disorders of stomach
K31.A13	<b>Gastric intestinal metaplasia without dysplasia, involving the fundus</b>	Includes: functional disorders of stomach
K31.A14	<b>Gastric intestinal metaplasia without dysplasia, involving the cardia</b>	Includes: functional disorders of stomach
K31.A15	<b>Gastric intestinal metaplasia without dysplasia, involving multiple sites</b>	Includes: functional disorders of stomach
K31.A19	<b>Gastric intestinal metaplasia without dysplasia, unspecified site</b>	Includes: functional disorders of stomach
K31.A21	<b>Gastric intestinal metaplasia with low grade dysplasia</b>	Includes: functional disorders of stomach
K31.A22	<b>Gastric intestinal metaplasia with high grade dysplasia</b>	Includes: functional disorders of stomach
K31.A29	<b>Gastric intestinal metaplasia with dysplasia, unspecified</b>	Includes: functional disorders of stomach
		<p><b>Note: In this block the terms dermatitis and eczema are used synonymously and interchangeably.</b>          Excludes1: allergy NOS (T78.40)          contact dermatitis NOS (L25.9)          dermatitis NOS (L30.9)</p>
L24.A0	<b>Irritant contact dermatitis due to friction or contact with body fluids, unspecified</b>	<p>Excludes1: irritant contact dermatitis related to stoma or fistula (L24.B-)</p>
		<p><b>Note: In this block the terms dermatitis and eczema are used synonymously and interchangeably.</b>          Excludes1: allergy NOS (T78.40)          contact dermatitis NOS (L25.9)          dermatitis NOS (L30.9)</p>
L24.A1	<b>Irritant contact dermatitis due to saliva</b>	<p>Excludes1: irritant contact dermatitis related to stoma or fistula (L24.B-)</p>

L24.A2	<b>Irritant contact dermatitis due to fecal, urinary or dual incontinence</b>	<p><b>Note:</b> In this block the terms dermatitis and eczema are used synonymously and interchangeably.</p> <p><b>Excludes1:</b> allergy NOS (T78.40) contact dermatitis NOS (L25.9) dermatitis NOS (L30.9)</p> <p><b>Excludes1:</b> irritant contact dermatitis related to stoma or fistula (L24.B-)</p> <p><b>Excludes1:</b> diaper dermatitis (L22)</p>
L24.A9	<b>Irritant contact dermatitis due friction or contact with other specified body fluids</b> Irritant contact dermatitis related to endotracheal tube Wound fluids, exudate	<p><b>Note:</b> In this block the terms dermatitis and eczema are used synonymously and interchangeably.</p> <p><b>Excludes1:</b> allergy NOS (T78.40) contact dermatitis NOS (L25.9) dermatitis NOS (L30.9)</p> <p><b>Excludes1:</b> irritant contact dermatitis related to stoma or fistula (L24.B-)</p>
L24.B0	<b>Irritant contact dermatitis related to unspecified stoma or fistula</b> Irritant contact dermatitis related to fistula NOS Irritant contact dermatitis related to stoma NOS	<p>Use additional code to identify any artificial opening status (Z93.-), if applicable, for contact dermatitis related to stoma secretions</p>
L24.B1	<b>Irritant contact dermatitis related to digestive stoma or fistula</b> Irritant contact dermatitis related to gastrostomy Irritant contact dermatitis related to jejunostomy Irritant contact dermatitis related to saliva or spit fistula	<p>Use additional code to identify any artificial opening status (Z93.-), if applicable, for contact dermatitis related to stoma secretions</p>
L24.B2	<b>Irritant contact dermatitis related to respiratory stoma or fistula</b> Irritant contact dermatitis related to tracheostomy	<p>Use additional code to identify any artificial opening status (Z93.-), if applicable, for contact dermatitis related to stoma secretions</p>
L24.B3	<b>Irritant contact dermatitis related to fecal or urinary stoma or fistula</b> Irritant contact dermatitis related to colostomy Irritant contact dermatitis related to enterocutaneous fistula Irritant contact dermatitis related to ileostomy	<p>Use additional code to identify any artificial opening status (Z93.-), if applicable, for contact dermatitis related to stoma secretions</p>
M31.10	<b>Thrombotic microangiopathy, unspecified</b>	<p><b>Includes:</b> autoimmune disease NOS collagen (vascular) disease NOS systemic autoimmune disease systemic collagen (vascular) disease</p> <p><b>Excludes1:</b> autoimmune disease, single organ or single cell-type -code to relevant condition category</p>
M31.11	<b>Hematopoietic stem cell transplantation-associated thrombotic microangiopathy [HSCT-TMA]</b> Transplant-associated thrombotic microangiopathy [TA-TMA]	<p><b>Includes:</b> autoimmune disease NOS collagen (vascular) disease NOS systemic autoimmune disease systemic collagen (vascular) disease</p> <p><b>Excludes1:</b> autoimmune disease, single organ or single cell-type -code to relevant condition category</p> <p><b>Code first if applicable:</b> complications of bone marrow transplant (T86.0-) complications of stem cell transplant (T86.5)</p> <p><b>Use additional code to identify specific organ dysfunction, such as:</b> acute kidney failure (N17.-) acute respiratory distress syndrome (J80) capillary leak syndrome (I78.8) diffuse alveolar hemorrhage (R04.89) encephalopathy (metabolic) (septic) (G93.41) fluid overload, unspecified (E87.70) graft versus host disease (D89.81-) hemolytic uremic syndrome (D59.3) hepatic failure (K72.-) hepatic veno-occlusive disease (K76.5) idiopathic interstitial pneumonia (J84.11-) sinusoidal obstruction syndrome (K76.5)</p>



M31.19	<b>Other thrombotic microangiopathy</b> Thrombotic thrombocytopenic purpura	Includes: autoimmune disease NOS collagen (vascular) disease NOS systemic autoimmune disease systemic collagen (vascular) disease
		Excludes1: autoimmune disease, single organ or single cell-type -code to relevant condition code
M35.05	<b>Sjogren syndrome with inflammatory arthritis</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.06	<b>Sjogren syndrome with peripheral nervous system involvement</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.07	<b>Sjogren syndrome with central nervous system involvement</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.08	<b>Sjogren syndrome with gastrointestinal involvement</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.0A	<b>Sjogren syndrome with glomerular disease</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.0B	<b>Sjogren syndrome with vasculitis</b>	Excludes1: reactive perforating collagenosis (L87.1)
M35.0C	<b>Sjogren syndrome with dental involvement</b>	Excludes1: reactive perforating collagenosis (L87.1)
M45.A0	<b>Non-radiographic axial spondyloarthritis of unspecified sites in spine</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A1	<b>Non-radiographic axial spondyloarthritis of occipito-atlanto-axial region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A2	<b>Non-radiographic axial spondyloarthritis of cervical region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A3	<b>Non-radiographic axial spondyloarthritis of cervicothoracic region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A4	<b>Non-radiographic axial spondyloarthritis of thoracic region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A5	<b>Non-radiographic axial spondyloarthritis of thoracolumbar region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A6	<b>Non-radiographic axial spondyloarthritis of lumbar region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A7	<b>Non-radiographic axial spondyloarthritis of lumbosacral region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.A8	<b>Non-radiographic axial spondyloarthritis of sacral and sacrococcygeal region</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M45.AB	<b>Non-radiographic axial spondyloarthritis of multiple sites in spine</b>	Rheumatoid arthritis of spine
		Excludes1: arthropathy in Reiter's disease (M02.3-) juvenile (ankylosing) spondylitis (M08.1)
M54.50	<b>Low back pain, unspecified</b> Loin pain Lumbago NOS	Excludes1: current injury - see injury of spine by body region discitis NOS (M46.4-)
		Excludes1: psychogenic dorsalgia (F45.41) Excludes1: low back strain (S39.012) lumbago due to intervertebral disc displacement (M51.2-) lumbago with sciatica (M54.4-)

M54.51	<b>Vertebrogenic low back pain</b> Low back vertebral endplate pain	Excludes1: current injury - see injury of spine by body region discitis NOS (M46.4-) Excludes1: psychogenic dorsalgia (F45.41) Excludes1: low back strain (S39.012) lumbago due to intervertebral disc displacement (M51.2-) lumbago with sciatica (M54.4-)
M54.59	<b>Other low back pain</b>	Excludes1: current injury - see injury of spine by body region discitis NOS (M46.4-) Excludes1: psychogenic dorsalgia (F45.41) Excludes1: low back strain (S39.012) lumbago due to intervertebral disc displacement (M51.2-) lumbago with sciatica (M54.4-)
P00.82	<b>Newborn affected by (positive) maternal group B streptococcus (GBS) colonization</b> Contact with positive maternal group B streptococcus	Note: Codes from this chapter are for use on newborn records only, never on maternal records Includes: conditions that have their origin in the fetal or perinatal period (before birth through the first 28 days after birth) even if morbidity occurs later Note: These codes are for use when the listed maternal conditions are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth). Code first any current condition in newborn
P09.1	<b>Abnormal findings on neonatal screening for inborn errors of metabolism</b>	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.2	<b>Abnormal findings on neonatal screening for congenital endocrine disease</b> Abnormal findings on neonatal screening for congenital adrenal hyperplasia Abnormal findings on neonatal screening for hypothyroidism screen	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.3	<b>Abnormal findings on neonatal screening for congenital hematologic disorders</b> Abnormal findings for hemoglobinopathies screen Abnormal findings on red cell membrane defects screen Abnormal findings on sickle cell screen	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.4	<b>Abnormal findings on neonatal screening for cystic fibrosis</b>	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.5	<b>Abnormal findings on neonatal screening for critical congenital heart disease</b> Neonatal congenital heart disease screening failure	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.6	<b>Abnormal findings on neonatal screening for neonatal hearing loss</b>	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.8	<b>Other abnormal findings on neonatal screening</b>	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
P09.9	<b>Abnormal findings on neonatal screening, unspecified</b>	Includes: Abnormal findings on state mandated newborn screens Failed newborn screening
R05.1	<b>Acute cough</b>	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0) Excludes2: cough with hemorrhage (R04.2)
R05.2	<b>Subacute cough</b>	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0) Excludes2: cough with hemorrhage (R04.2)
R05.3	<b>Chronic cough</b> Persistent cough Refractory cough Unexplained cough	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0) Excludes2: cough with hemorrhage (R04.2)
R05.4	<b>Cough syncope</b>	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0) Excludes2: cough with hemorrhage (R04.2) Code first syncope and collapse (R55)
R05.8	<b>Other specified cough</b>	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0) Excludes2: cough with hemorrhage (R04.2)

R05.9	<b>Cough, unspecified</b>	Excludes1: paroxysmal cough due to Bordetella pertussis (A37.0-) smoker's cough (J41.0)
R35.81	<b>Nocturnal polyuria</b>	Excludes2: cough with hemorrhage (R04.2) Code first, if applicable, any causal condition, such as: enlarged prostate (N40.1)
R35.89	<b>Other polyuria</b>	Excludes1: psychogenic polyuria (F45.8) Code first, if applicable, any causal condition, such as: enlarged prostate (N40.1)
R45.88	<b>Nonsuicidal self-harm</b> Nonsuicidal self-injury Nonsuicidal self-mutilation Self-inflicted injury without suicidal intent	Excludes1: psychogenic polyuria (F45.8)
R63.30	<b>Feeding difficulties, unspecified</b>	Code also injury, if known
R63.31	<b>Pediatric feeding disorder, acute</b> Pediatric feeding dysfunction, acute	Excludes1: bulimia NOS (F50.2) Excludes1: bulimia NOS (F50.2) Code also, if applicable, associated conditions such as: aspiration pneumonia (J69.0) dysphagia (R13.1-) gastro-esophageal reflux disease (K21.-) malnutrition (E40-E46)
R63.32	<b>Pediatric feeding disorder, chronic</b> Pediatric feeding dysfunction, chronic	Excludes1: bulimia NOS (F50.2) Code also, if applicable, associated conditions such as: aspiration pneumonia (J69.0) dysphagia (R13.1-) gastro-esophageal reflux disease (K21.-) malnutrition (E40-E46)
R63.39	<b>Other feeding difficulties</b> Feeding problem (elderly) (infant) NOS Picky eater	Excludes1: bulimia NOS (F50.2)
R79.83	<b>Abnormal findings of blood amino-acid level</b> Homocysteinemia	Use additional code to identify any retained foreign body, if applicable (Z18.-) Excludes1: asymptomatic hyperuricemia (E79.0) hyperglycemia NOS (R73.9) hypoglycemia NOS (E16.2) neonatal hypoglycemia (P70.3-P70.4) specific findings indicating disorder of amino-acid metabolism (E70-E72) specific findings indicating disorder of carbohydrate metabolism (E73-E74) specific findings indicating disorder of lipid metabolism (E75.-) Excludes1: disorders of amino-acid metabolism (E70-E72)
S06.A0XA	<b>Traumatic brain compression without herniation, initial encounter</b> Traumatic brain compression NOS Traumatic cerebral compression NOS	Note: Use secondary code(s) from Chapter 20, External causes of morbidity, to indicate cause T section that include the external cause do not require an additional external cause
S06.A0XD	<b>Traumatic brain compression without herniation, subsequent encounter</b> Traumatic brain compression NOS Traumatic cerebral compression NOS	Use additional code to identify any retained foreign body, if applicable (Z18.-) Excludes1: birth trauma (P10-P15) obstetric trauma (O70-O71)
S06.A0XS	<b>Traumatic brain compression without herniation, sequela</b> Traumatic brain compression NOS Traumatic cerebral compression NOS	Includes: injuries of ear injuries of eye injuries of face [any part] injuries of gum injuries of jaw injuries of oral cavity injuries of palate
S06.A1XA	<b>Traumatic brain compression with herniation, initial encounter</b> Traumatic brain herniation Traumatic brainstem compression with herniation Traumatic cerebellar compression with herniation Traumatic cerebral compression with herniation	

S06.A1XD	<b>Traumatic brain compression with herniation, subsequent encounter</b>	
	Traumatic brain herniation	
	Traumatic brainstem compression with herniation	
	Traumatic cerebellar compression with herniation	
	Traumatic cerebral compression with herniation	
S06.A1XS	<b>Traumatic brain compression with herniation, sequela</b>	
	Traumatic brain herniation	
	Traumatic brainstem compression with herniation	
	Traumatic cerebellar compression with herniation	
	Traumatic cerebral compression with herniation	
		injuries of periorbital area injuries of scalp injuries of temporomandibular joint area injuries of tongue injuries of tooth Code also for any associated infection Includes: traumatic brain injury Code also any associated: open wound of head (S01.-) skull fracture (S02.-) Excludes1: head injury NOS (S09.90) The appropriate 7th character is to be added to each code from category S06 A - initial encounter D - subsequent encounter S - sequela Note: 7th characters D and S do not apply to codes in category S06 with 6th character 7 - death
T40.711A	Poisoning by cannabis, accidental (unintentional), initial encounter	
T40.711D	Poisoning by cannabis, accidental (unintentional), subsequent encounter	
T40.711S	Poisoning by cannabis, accidental (unintentional), sequela	
T40.712A	Poisoning by cannabis, intentional self-harm, initial encounter	
T40.712D	Poisoning by cannabis, intentional self-harm, subsequent encounter	
T40.712S	Poisoning by cannabis, intentional self-harm, sequela	
T40.713A	Poisoning by cannabis, assault, initial encounter	
T40.713D	Poisoning by cannabis, assault, subsequent encounter	
T40.713S	Poisoning by cannabis, assault, sequela	
T40.714A	Poisoning by cannabis, undetermined, initial encounter	
T40.714D	Poisoning by cannabis, undetermined, subsequent encounter	
T40.714S	Poisoning by cannabis, undetermined, sequela	
T40.715A	Adverse effect of cannabis, initial encounter	
T40.715D	Adverse effect of cannabis, subsequent encounter	
T40.715S	Adverse effect of cannabis, sequela	
T40.716A	Underdosing of cannabis, initial encounter	
T40.716D	Underdosing of cannabis, subsequent encounter	
T40.716S	Underdosing of cannabis, sequela	
T40.721A	Poisoning by synthetic cannabinoids, accidental (unintentional), initial encounter	
T40.721D	Poisoning by synthetic cannabinoids, accidental (unintentional), subsequent encounter	
T40.721S	Poisoning by synthetic cannabinoids, accidental (unintentional), sequela	
T40.722A	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter	
T40.722D	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter	
T40.722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	
T40.723A	Poisoning by synthetic cannabinoids, assault, initial encounter	
T40.723D	Poisoning by synthetic cannabinoids, assault, subsequent encounter	
T40.723S	Poisoning by synthetic cannabinoids, assault, sequela	
T40.724A	Poisoning by synthetic cannabinoids, undetermined, initial encounter	
T40.724D	Poisoning by synthetic cannabinoids, undetermined, subsequent encounter	
T40.724S	Poisoning by synthetic cannabinoids, undetermined, sequela	
T40.725A	Adverse effect of synthetic cannabinoids, initial encounter	
T40.725D	Adverse effect of synthetic cannabinoids, subsequent encounter	
T40.725S	Adverse effect of synthetic cannabinoids, sequela	
T40.726A	Underdosing of synthetic cannabinoids, initial encounter	
T40.726D	Underdosing of synthetic cannabinoids, subsequent encounter	
T40.726S	Underdosing of synthetic cannabinoids, sequela	
		Includes: adverse effect of correct substance properly administered poisoning by overdose of substance poisoning by wrong substance given or taken in error underdosing by (inadvertently) (deliberately) taking less substance than prescribed or instructed Code first, for adverse effects, the nature of the adverse effect, such as: adverse effect NOS (T88.7) aspirin gastritis (K29.-) blood disorders (D56-D76) contact dermatitis (L23-L25) dermatitis due to substances taken internally (L27.-) nephropathy (N14.0-N14.2) Note: The drug giving rise to the adverse effect should be identified by use of codes from categories T36-T50 with fifth or sixth character 5. Use additional code(s) to specify: manifestations of poisoning underdosing or failure in dosage during medical and surgical care (Y63.6, Y63.8-Y63.9) underdosing of medication regimen (Z91.12-, Z91.13-) Excludes1: toxic reaction to local anesthesia in pregnancy (O29.3-) The appropriate 7th character is to be added to each code from category T40 A - initial encounter D - subsequent encounter S - sequela

T80.82XA	<b>Complication of immune effector cellular therapy, initial encounter</b>	Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
	Complication of chimeric antigen receptor (CAR-T) cell therapy Complication of IEC therapy	
T80.82XD	<b>Complication of immune effector cellular therapy, subsequent encounter</b>	Use additional code(s) to identify the specified condition resulting from the complication Use additional code to identify devices involved and details of circumstances (Y62-Y82) Use additional code to identify the specific complication, such as: cytokine release syndrome (D89.83-) immune effector cell-associated neurotoxicity syndrome (G92.0-)
	Complication of chimeric antigen receptor (CAR-T) cell therapy Complication of IEC therapy	
T80.82XS	<b>Complication of immune effector cellular therapy, sequela</b>	
	Complication of chimeric antigen receptor (CAR-T) cell therapy Complication of IEC therapy	
U09.9	<b>Post COVID-19 condition, unspecified</b>	Note: This code enables establishment of a link with COVID-19. This code is not to be used in cases that are still presenting with active COVID-19. However, an exception is made in cases of re-infection with COVID-19, occurring with a condition related to prior COVID-19. Post-acute sequela of COVID-19 Code first the specific condition related to COVID-19 if known, such as: chronic respiratory failure (J96.1-) loss of smell (R43.8) loss of taste (R43.8) multisystem inflammatory syndrome (M35.81) pulmonary embolism (I26.-) pulmonary fibrosis (J84.10)
Y35.899A	<b>Legal intervention involving other specified means, unspecified person injured, initial encounter</b>	Includes: any injury sustained as a result of an encounter with any law enforcement official, serving in any capacity at the time of the encounter, whether on-duty or off-duty. Includes: injury to law enforcement official, suspect and bystander The appropriate 7th character is to be added to each code from category Y35 A - initial encounter D - subsequent encounter S - sequela
Y35.899D	<b>Legal intervention involving other specified means, unspecified person injured, subsequent encounter</b>	
Y35.899S	<b>Legal intervention involving other specified means, unspecified person injured, sequela</b>	
Z55.5	<b>Less than a high school diploma</b> No general equivalence degree (GED)	
Z58.6	<b>Inadequate drinking-water supply</b> Lack of safe drinking water	
Z59.00	<b>Homelessness unspecified</b>	
Z59.01	<b>Sheltered homelessness</b> Doubled up Living in a shelter such as: motel, scattered site housing, temporary or transitional living situation	
Z59.02	<b>Unsheltered homelessness</b> Residing in place not meant for human habitation such as: abandoned buildings, cars, parks, sidewalk Residing on the street	
Z59.41	<b>Food insecurity</b>	
Z59.48	<b>Other specified lack of adequate food</b> Inadequate food Lack of food	
Z59.811	<b>Housing instability, housed, with risk of homelessness</b> Imminent risk of homelessness	
Z59.812	<b>Housing instability, housed, homelessness in past 12 months</b>	
Z59.819	<b>Housing instability, housed unspecified</b>	
Z59.89	<b>Other problems related to housing and economic circumstances</b> Foreclosure on loan Isolated dwelling Problems with creditors	
Z71.85	<b>Encounter for immunization safety counseling</b> Encounter for vaccine product safety counseling	



Z91.014	<b>Allergy to mammalian meats</b>	
	Allergy to beef	
	Allergy to lamb	
	Allergy to pork	
	Allergy to red meats	
Z91.51	<b>Personal history of suicidal behavior</b>	
	Personal history of parasuicide	Code also mental health disorder, if known
	Personal history of self-poisoning	
	Personal history of suicide attempt	
Z91.52	<b>Personal history of nonsuicidal self-harm</b>	
	Personal history of nonsuicidal self-injury	Code also mental health disorder, if known
	Personal history of self-inflicted injury without suicidal intent	
	Personal history of self-mutilation	
Z92.850	<b>Personal history of Chimeric Antigen Receptor T-cell therapy</b>	
	Personal history of CAR T-cell therapy	
Z92.858	<b>Personal history of other cellular therapy</b>	
Z92.859	<b>Personal history of cellular therapy, unspecified</b>	
Z92.86	<b>Personal history of gene therapy</b>	

Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
G71.20	Congenital myopathy, unspecified	Revised	
M35.00	Sicca syndrome, unspecified	Revised	Sjögren syndrome, unspecified
M35.01	Sicca syndrome with keratoconjunctivitis	Revised	Sjögren syndrome with keratoconjunctivitis
M35.02	Sicca syndrome with lung involvement	Revised	Sjögren syndrome with lung involvement
M35.03	Sicca syndrome with myopathy	Revised	Sjögren syndrome with myopathy
M35.04	Sicca syndrome with tubulo-interstitial nephropathy	Revised	Sjögren syndrome with tubulo-interstitial nephropathy
M35.09	Sicca syndrome with other organ involvement	Revised	Renal tubular acidosis in sicca syndrome
T63.611A	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional)	Revised	Sjögren syndrome with other organ involvement
T63.611D	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional)	Revised	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter
T63.611S	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional)	Revised	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), subsequent encounter
T63.612A	Toxic effect of contact with Portugese Man-o-war, intentional self-harm	Revised	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), sequela
T63.612D	Toxic effect of contact with Portugese Man-o-war, intentional self-harm	Revised	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter
T63.612S	Toxic effect of contact with Portugese Man-o-war, intentional self-harm	Revised	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, subsequent encounter
T63.613A	Toxic effect of contact with Portugese Man-o-war, assault	Revised	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela
T63.613D	Toxic effect of contact with Portugese Man-o-war, assault	Revised	Toxic effect of contact with Portugese Man-o-war, assault, initial encounter
T63.613S	Toxic effect of contact with Portugese Man-o-war, assault	Revised	Toxic effect of contact with Portugese Man-o-war, assault, subsequent encounter
T63.614A	Toxic effect of contact with Portugese Man-o-war, undetermined	Revised	Toxic effect of contact with Portugese Man-o-war, assault, sequela
T63.614D	Toxic effect of contact with Portugese Man-o-war, undetermined	Revised	Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter
			Toxic effect of contact with Portugese Man-o-war, undetermined, subsequent encounter



T63.614S	Toxic effect of contact with Portugese Man-o-war, undetermined	Revised	Toxic effect of contact with Portugese Man-o-war, undetermined, sequela
Z92.25	Personal history of immunosuppression therapy	Revised	
D55.2	Anemia due to disorders of glycolytic enzymes	Deleted	
F78	Other intellectual disabilities	Deleted	
G92	Toxic encephalopathy	Deleted	
K22.8	Other specified diseases of esophagus	Deleted	
M31.1	Thrombotic microangiopathy	Deleted	
M54.5	Low back pain	Deleted	
P09	Abnormal findings on neonatal screening	Deleted	
R05	Cough	Deleted	
R35.8	Other polyuria	Deleted	
R63.3	Feeding difficulties	Deleted	
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	Deleted	
T40.7X1D	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter	Deleted	
T40.7X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Deleted	
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Deleted	
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Deleted	
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Deleted	
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter	Deleted	
T40.7X3D	Poisoning by cannabis (derivatives), assault, subsequent encounter	Deleted	
T40.7X3S	Poisoning by cannabis (derivatives), assault, sequela	Deleted	
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter	Deleted	
T40.7X4D	Poisoning by cannabis (derivatives), undetermined, subsequent encounter	Deleted	
T40.7X4S	Poisoning by cannabis (derivatives), undetermined, sequela	Deleted	
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter	Deleted	
T40.7X5D	Adverse effect of cannabis (derivatives), subsequent encounter	Deleted	
T40.7X5S	Adverse effect of cannabis (derivatives), sequela	Deleted	
T40.7X6A	Underdosing of cannabis (derivatives), initial encounter	Deleted	
T40.7X6D	Underdosing of cannabis (derivatives), subsequent encounter	Deleted	
T40.7X6S	Underdosing of cannabis (derivatives), sequela	Deleted	
Z59.0	Homelessness	Deleted	
Z59.4	Lack of adequate food and safe drinking water	Deleted	
Z59.8	Other problems related to housing and economic circumstances	Deleted	
Z91.5	Personal history of self-harm	Deleted	

Allergy			
New			
2022 ICD-10 Codes			
Code	Description		
<b>D89.44</b>	Hereditary alpha tryptasemia		
<b>L24.A</b>	Irritant contact dermatitis due to friction or contact with body fluids		
<b>L24.A0</b>	Irritant contact dermatitis due to friction or contact with body fluids, unspecified		
<b>L24.A1</b>	Irritant contact dermatitis due to saliva		
<b>L24.A2</b>	Irritant contact dermatitis due to fecal, urinary or dual incontinence		
<b>L24.A9</b>	Irritant contact dermatitis due friction or contact with other specified body fluids		
<b>L24.B</b>	Irritant contact dermatitis related to stoma or fistula		
<b>L24.B0</b>	Irritant contact dermatitis related to unspecified stoma or fistula		
<b>L24.B1</b>	Irritant contact dermatitis related to digestive stoma or fistula		
<b>L24.B2</b>	Irritant contact dermatitis related to respiratory stoma or fistula		
<b>L24.B3</b>	Irritant contact dermatitis related to fecal or urinary stoma or fistula		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		
<b>Z91.014</b>	Allergy to mammalian meats		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2023		

# Cardiology1

## New

### 2022 ICD-10 Codes

Code	Description		
<b>I5A</b>	Non-ischemic myocardial injury (non-traumatic)		
<b>P09.5</b>	Abnormal findings on neonatal screening for critical congenital heart disease		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		

## Revised or Deleted

### 2022 ICD-10 Codes

2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Cardiology			
New			
2020 ICD-10 Codes			
Code	Description		
I48.11	Longstanding persistent atrial fibrillation		
I48.19	Other persistent atrial fibrillation		
I48.20	Chronic atrial fibrillation, unspecified		
I48.21	Permanent atrial fibrillation		
Revised or Deleted			
2020 ICD-10 Codes			
2019		2020	
Code	Descriptor	Change	Descriptor
V4313XA	Car passenger injured in collision with pick-up in nontraffic accident, initial encounter		
V4313XD	Car passenger injured in collision with pick-up in nontraffic accident, subsequent encounter		
V4313XS	Car passenger injured in collision with pick-up in nontraffic accident, sequela		
Z6843	Body mass index (BMI) 50-59.9, adult		
D813	Adenosine deaminase [ADA] deficiency		
H8141	Vertigo of central origin, right ear		
H8142	Vertigo of central origin, left ear		
		2020	
		Change	Descriptor
H8143	Vertigo of central origin, bilateral	Revised	Car passenger injured in collision with pick-up <b>truck</b> in nontraffic accident, initial encounter
H8149	Vertigo of central origin, unspecified ear	Revised	Car passenger injured in collision with pick-up <b>truck</b> in nontraffic accident, subsequent encounter
I481	Persistent atrial fibrillation	Revised	Car passenger injured in collision with pick-up <b>truck</b> in nontraffic accident, sequela
I482	Chronic atrial fibrillation	Revised	Body mass index (BMI) 50. <b>0</b> -59.9, adult
Q660	Congenital talipes equinovarus		
Q661	Congenital talipes calcaneovarus	Deleted	
Q6621	Congenital metatarsus primus varus	Deleted	
Q6622	Congenital metatarsus adductus	Deleted	
Q663	Other congenital varus deformities of feet	Deleted	
Q664	Congenital talipes calcaneovalgus	Deleted	
Q667	Congenital pes cavus	Deleted	
Q669	Congenital deformity of feet, unspecified	Deleted	
Q796	Ehlers-Danlos syndrome	Deleted	
Q871	Congenital malformation syndromes predominantly associated with short stature	Deleted	
R828	Abnormal findings on cytological and histological examination of urine	Deleted	
T670XXA	Heatstroke and sunstroke, initial encounter	Deleted	
T670XXD	Heatstroke and sunstroke, subsequent encounter	Deleted	
T670XXS	Heatstroke and sunstroke, sequela	Deleted	

Dental			
New			
2022 ICD-10 Codes			
Code	Description		
	No new ICD-0-CM codes for 2022		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No revised and deleted codes for 2022		

Dermatology			
New			
2022 ICD-10 Codes			
Code	Description		
<b>L24.A</b>	Irritant contact dermatitis due to friction or contact with body fluids		
<b>L24.A0</b>	Irritant contact dermatitis due to friction or contact with body fluids, unspecified		
<b>L24.A1</b>	Irritant contact dermatitis due to saliva		
<b>L24.A2</b>	Irritant contact dermatitis due to fecal, urinary or dual incontinence		
<b>L24.A9</b>	Irritant contact dermatitis due friction or contact with other specified body fluids		
<b>L24.B</b>	Irritant contact dermatitis related to stoma or fistula		
<b>L24.B0</b>	Irritant contact dermatitis related to unspecified stoma or fistula		
<b>L24.B1</b>	Irritant contact dermatitis related to digestive stoma or fistula		
<b>L24.B2</b>	Irritant contact dermatitis related to respiratory stoma or fistula		
<b>L24.B3</b>	Irritant contact dermatitis related to fecal or urinary stoma or fistula		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		



## Endocrinology

### New

#### 2022 ICD-10 Codes

Code	Description		
<b>P09.2</b>	Abnormal findings on neonatal screening for congenital endocrine disease		

### Revised or Deleted

#### 2022 ICD-10 Codes

2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

## Eyes and Adnexa

### New

#### 2022 ICD-10 Codes

Code	Description		
<b>M35.05</b>	Sjogren syndrome with inflammatory arthritis		
<b>M35.06</b>	Sjogren syndrome with peripheral nervous system involvement		
<b>M35.07</b>	Sjogren syndrome with central nervous system involvement		
<b>M35.08</b>	Sjogren syndrome with gastrointestinal involvement		
<b>M35.0A</b>	Sjogren syndrome with glomerular disease		
<b>M35.0B</b>	Sjogren syndrome with vasculitis		
<b>M35.0C</b>	Sjogren syndrome with dental involvement		

### Revised or Deleted

#### 2022 ICD-10 Codes

2021		2022	
Code	Descriptor	Change	Descriptor
<b>M35.0</b>	Sicca syndrome [Sjogren]	Revised	Sjogren syndrome
<b>M35.00</b>	Sicca syndrome, unspecified	Revised	Sjogren syndrome, unspecified
<b>M35.01</b>	Sicca syndrome with keratoconjunctivitis	Revised	Sjogren syndrome with keratoconjunctivitis
<b>M35.02</b>	Sicca syndrome with lung involvement	Revised	Sjogren syndrome with lung involvement
<b>M35.03</b>	Sicca syndrome with myopathy	Revised	Sjogren syndrome with myopathy
<b>M35.04</b>	Sicca syndrome with tubulo-interstitial nephropathy	Revised	Sjogren syndrome with tubulo-interstitial nephropathy
<b>M35.09</b>	Sicca syndrome with other organ involvement	Revised	Sjogren syndrome with other organ involvement

## Gastroenterology

### New

#### 2022 ICD-10 Codes

Code	Description		
<b>K22.81</b>	Esophageal polyp		
<b>K22.82</b>	Esophagogastric junction polyp		
<b>K22.89</b>	Other specified disease of esophagus		
<b>K31.A</b>	Gastric intestinal metaplasia		
<b>K31.A0</b>	Gastric intestinal metaplasia, unspecified		
<b>K31.A1</b>	Gastric intestinal metaplasia without dysplasia		
<b>K31.A11</b>	Gastric intestinal metaplasia without dysplasia, involving the antrum		
<b>K31.A12</b>	Gastric intestinal metaplasia without dysplasia, involving the body (corpus)		
<b>K31.A13</b>	Gastric intestinal metaplasia without dysplasia, involving the fundus		
<b>K31.A14</b>	Gastric intestinal metaplasia without dysplasia, involving the cardia		
<b>K31.A15</b>	Gastric intestinal metaplasia without dysplasia, involving multiple sites		
<b>K31.A19</b>	Gastric intestinal metaplasia without dysplasia, unspecified site		
<b>K31.A2</b>	Gastric intestinal metaplasia with dysplasia		
<b>K31.A21</b>	Gastric intestinal metaplasia with low grade dysplasia		
<b>K31.A22</b>	Gastric intestinal metaplasia with high grade dysplasia		
<b>K31.A29</b>	Gastric intestinal metaplasia with dysplasia, unspecified		
<b>L24.A1</b>	Irritant contact dermatitis due to saliva		
<b>L24.A2</b>	Irritant contact dermatitis due to fecal, urinary or dual incontinence		
<b>L24.B1</b>	Irritant contact dermatitis related to digestive stoma or fistula		
<b>M35.05</b>	Sjogren syndrome with inflammatory arthritis		
<b>M35.06</b>	Sjogren syndrome with peripheral nervous system involvement		
<b>M35.07</b>	Sjogren syndrome with central nervous system involvement		
<b>M35.08</b>	Sjogren syndrome with gastrointestinal involvement		
<b>M35.0A</b>	Sjogren syndrome with glomerular disease		
<b>M35.0B</b>	Sjogren syndrome with vasculitis		
<b>M35.0C</b>	Sjogren syndrome with dental involvement		
<b>R63.31</b>	Pediatric feeding disorder, acute		
<b>R63.32</b>	Pediatric feeding disorder, chronic		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		

### Revised or Deleted

#### 2022 ICD-10 Codes

2021		2022	
Code	Descriptor	Change	Descriptor
<b>M35.0</b>	Sicca syndrome [Sjogren]	Revised	Sjogren syndrome
<b>M35.00</b>	Sicca syndrome, unspecified	Revised	Sjogren syndrome, unspecified
<b>M35.01</b>	Sicca syndrome with keratoconjunctivitis	Revised	Sjogren syndrome with keratoconjunctivitis
<b>M35.02</b>	Sicca syndrome with lung involvement	Revised	Sjogren syndrome with lung involvement
<b>M35.03</b>	Sicca syndrome with myopathy	Revised	Sjogren syndrome with myopathy
<b>M35.04</b>	Sicca syndrome with tubulo-interstitial nephropathy	Revised	Sjogren syndrome with tubulo-interstitial nephropathy
<b>M35.09</b>	Sicca syndrome with other organ involvement	Revised	Sjogren syndrome with other organ involvement

Genitourinary			
New			
2022 ICD-10 Codes			
Code	Description		
<b>L24.A2</b>	Irritant contact dermatitis due to fecal, urinary or dual incontinence		
<b>L24.B3</b>	Irritant contact dermatitis related to fecal or urinary stoma or fistula		
<b>M35.0A</b>	Sjogren syndrome with glomerular disease		
<b>R35.81</b>	Nocturnal polyuria		
<b>R35.89</b>	Other polyuria		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
<b>M35.04</b>	Sicca syndrome with tubulo-interstitial nephropathy	Revised	Sjogren syndrome with tubulo-interstitial nephropathy

## Internal Medicine

### New

2022 ICD-10 Codes

Code	Description		
<b>A79.82</b>	Anaplasmosis [A. phagocytophilum]		
<b>D55.21</b>	Anemia due to pyruvate kinase deficiency		
<b>D55.29</b>	Anemia due to other disorders of glycolytic enzymes		
<b>D75.83</b>	Thrombocytosis		
<b>D75.838</b>	Other thrombocytosis		
<b>D75.839</b>	Thrombocytosis, unspecified		
<b>T40.71</b>	Poisoning by, adverse effect of and underdosing of cannabis (derivatives)		
<b>T40.711</b>	Poisoning by cannabis, accidental (unintentional)		
<b>T40.711A</b>	Poisoning by cannabis, accidental (unintentional), initial encounter		
<b>T40.711D</b>	Poisoning by cannabis, accidental (unintentional), subsequent encounter		
<b>T40.711S</b>	Poisoning by cannabis, accidental (unintentional), sequela		
<b>T40.712</b>	Poisoning by cannabis, intentional self-harm		
<b>T40.712A</b>	Poisoning by cannabis, intentional self-harm, initial encounter		
<b>T40.712D</b>	Poisoning by cannabis, intentional self-harm, subsequent encounter		
<b>T40.712S</b>	Poisoning by cannabis, intentional self-harm, sequela		
<b>T40.713</b>	Poisoning by cannabis, assault		
<b>T40.713A</b>	Poisoning by cannabis, assault, initial encounter		
<b>T40.713D</b>	Poisoning by cannabis, assault, subsequent encounter		
<b>T40.713S</b>	Poisoning by cannabis, assault, sequela		
<b>T40.714</b>	Poisoning by cannabis, undetermined		
<b>T40.714A</b>	Poisoning by cannabis, undetermined, initial encounter		
<b>T40.714D</b>	Poisoning by cannabis, undetermined, subsequent encounter		
<b>T40.714S</b>	Poisoning by cannabis, undetermined, sequela		
<b>T40.715</b>	Adverse effect of cannabis		
<b>T40.715A</b>	Adverse effect of cannabis, initial encounter		
<b>T40.715D</b>	Adverse effect of cannabis, subsequent encounter		
<b>T40.715S</b>	Adverse effect of cannabis, sequela		
<b>T40.716</b>	Underdosing of cannabis		
<b>T40.716A</b>	Underdosing of cannabis, initial encounter		
<b>T40.716D</b>	Underdosing of cannabis, subsequent encounter		
<b>T40.716S</b>	Underdosing of cannabis, sequela		
<b>T40.72</b>	Poisoning by, adverse effect of and underdosing of synthetic cannabinoids		
<b>T40.721</b>	Poisoning by synthetic cannabinoids, accidental (unintentional)		
<b>T40.721A</b>	Poisoning by synthetic cannabinoids, accidental (unintentional), initial encounter		
<b>T40.721D</b>	Poisoning by synthetic cannabinoids, accidental (unintentional), subsequent encounter		
<b>T40.721S</b>	Poisoning by synthetic cannabinoids, accidental (unintentional), sequela		
<b>T40.722</b>	Poisoning by synthetic cannabinoids, intentional self-harm		
<b>T40.722A</b>	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter		
<b>T40.722D</b>	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter		
<b>T40.722S</b>	Poisoning by synthetic cannabinoids, intentional self-harm, sequela		
<b>T40.723</b>	Poisoning by synthetic cannabinoids, assault		
<b>T40.723A</b>	Poisoning by synthetic cannabinoids, assault, initial encounter		
<b>T40.723D</b>	Poisoning by synthetic cannabinoids, assault, subsequent encounter		
<b>T40.723S</b>	Poisoning by synthetic cannabinoids, assault, sequela		
<b>T40.724</b>	Poisoning by synthetic cannabinoids, undetermined		
<b>T40.724A</b>	Poisoning by synthetic cannabinoids, undetermined, initial encounter		
<b>T40.724D</b>	Poisoning by synthetic cannabinoids, undetermined, subsequent encounter		
<b>T40.724S</b>	Poisoning by synthetic cannabinoids, undetermined, sequela		
<b>T40.725</b>	Adverse effect of synthetic cannabinoids		
<b>T40.725A</b>	Adverse effect of synthetic cannabinoids, initial encounter		
<b>T40.725D</b>	Adverse effect of synthetic cannabinoids, subsequent encounter		
<b>T40.725S</b>	Adverse effect of synthetic cannabinoids, sequela		

<b>T40.726</b>	Underdosing of synthetic cannabinoids		
<b>T40.726A</b>	Underdosing of synthetic cannabinoids, initial encounter		
<b>T40.726D</b>	Underdosing of synthetic cannabinoids, subsequent encounter		
<b>T40.726S</b>	Underdosing of synthetic cannabinoids, sequela		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		
<b>U09</b>	Post COVID-19 condition		
<b>U09.9</b>	Post COVID-19 condition, unspecified		
<b>Y35.899</b>	Legal intervention involving other specified means, unspecified person injured		
<b>Y35.899A</b>	Legal intervention involving other specified means, unspecified person injured, initial encounter		
<b>Y35.899D</b>	Legal intervention involving other specified means, unspecified person injured, subsequent encounter		
<b>Y35.899S</b>	Legal intervention involving other specified means, unspecified person injured, sequela		
<b>Z55.5</b>	Less than a high school diploma		
<b>Z58</b>	Problems related to physical environment		
<b>Z58.6</b>	Inadequate drinking-water supply		
<b>Z59.00</b>	Homelessness unspecified		
<b>Z59.01</b>	Sheltered homelessness		
<b>Z59.02</b>	Unsheltered homelessness		
<b>Z59.41</b>	Food insecurity		
<b>Z59.48</b>	Other specified lack of adequate food		
<b>Z59.81</b>	Housing instability, housed		
<b>Z59.811</b>	Housing instability, housed, with risk of homelessness		
<b>Z59.812</b>	Housing instability, housed, homelessness in past 12 months		
<b>Z59.819</b>	Housing instability, housed unspecified		
<b>Z59.89</b>	Other problems related to housing and economic circumstances		
<b>Z92.85</b>	Personal history of cellular therapy		
<b>Z92.850</b>	Personal history of Chimeric Antigen Receptor T-cell therapy		
<b>Z92.858</b>	Personal history of other cellular therapy		
<b>Z92.859</b>	Personal history of cellular therapy, unspecified		
<b>Z92.86</b>	Personal history of gene therapy		



Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
<b>T40.7X</b>	Poisoning by, adverse effect of and underdosing of cannabis (derivatives)	Deleted	
<b>T40.7X1</b>	Poisoning by cannabis (derivatives), accidental (unintentional)	Deleted	
<b>T40.7X1A</b>	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	Deleted	
<b>T40.7X1D</b>	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter	Deleted	
<b>T40.7X1S</b>	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	Deleted	
<b>T40.7X2</b>	Poisoning by cannabis (derivatives), intentional self-harm	Deleted	
<b>T40.7X2A</b>	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Deleted	
<b>T40.7X2D</b>	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Deleted	
<b>T40.7X2S</b>	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Deleted	
<b>T40.7X3</b>	Poisoning by cannabis (derivatives), assault	Deleted	
<b>T40.7X3A</b>	Poisoning by cannabis (derivatives), assault, initial encounter	Deleted	
<b>T40.7X3D</b>	Poisoning by cannabis (derivatives), assault, subsequent encounter	Deleted	
<b>T40.7X3S</b>	Poisoning by cannabis (derivatives), assault, sequela	Deleted	
<b>T40.7X4</b>	Poisoning by cannabis (derivatives), undetermined	Deleted	
<b>T40.7X4A</b>	Poisoning by cannabis (derivatives), undetermined, initial encounter	Deleted	
<b>T40.7X4D</b>	Poisoning by cannabis (derivatives), undetermined, subsequent encounter	Deleted	
<b>T40.7X4S</b>	Poisoning by cannabis (derivatives), undetermined, sequela	Deleted	
<b>T40.7X5</b>	Adverse effect of cannabis (derivatives)	Deleted	
<b>T40.7X5A</b>	Adverse effect of cannabis (derivatives), initial encounter	Deleted	
<b>T40.7X5D</b>	Adverse effect of cannabis (derivatives), subsequent encounter	Deleted	
<b>T40.7X5S</b>	Adverse effect of cannabis (derivatives), sequela	Deleted	
<b>T40.7X6</b>	Underdosing of cannabis (derivatives)	Deleted	
<b>T40.7X6A</b>	Underdosing of cannabis (derivatives), initial encounter	Deleted	
<b>T40.7X6D</b>	Underdosing of cannabis (derivatives), subsequent encounter	Deleted	
<b>T40.7X6S</b>	Underdosing of cannabis (derivatives), sequela	Deleted	
<b>T63.61</b>	Toxic effect of contact with Portugese Man-o-war	Revised	Toxic effect of contact with Portuguese Man-o-war
<b>T63.611</b>	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional)	Revised	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional)
<b>T63.611A</b>	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional), initial encounter
<b>T63.611D</b>	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), subsequent encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional), subsequent encounter
<b>T63.611S</b>	Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), sequela	Revised	Toxic effect of contact with Portuguese Man-o-war, accidental (unintentional), sequela
<b>T63.612</b>	Toxic effect of contact with Portugese Man-o-war, intentional self-harm	Revised	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm
<b>T63.612A</b>	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter
<b>T63.612D</b>	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, subsequent encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter
<b>T63.612S</b>	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela	Revised	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela
<b>T63.613</b>	Toxic effect of contact with Portugese Man-o-war, assault	Revised	Toxic effect of contact with Portuguese Man-o-war, assault
<b>T63.613A</b>	Toxic effect of contact with Portugese Man-o-war, assault, initial encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, assault, initial encounter
<b>T63.613D</b>	Toxic effect of contact with Portugese Man-o-war, assault, subsequent encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, assault, subsequent encounter
<b>T63.613S</b>	Toxic effect of contact with Portugese Man-o-war, assault, sequela	Revised	Toxic effect of contact with Portuguese Man-o-war, assault, sequela
<b>T63.614</b>	Toxic effect of contact with Portugese Man-o-war, undetermined	Revised	Toxic effect of contact with Portuguese Man-o-war, undetermined
<b>T63.614A</b>	Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, undetermined, initial encounter
<b>T63.614D</b>	Toxic effect of contact with Portugese Man-o-war, undetermined, subsequent encounter	Revised	Toxic effect of contact with Portuguese Man-o-war, undetermined, subsequent encounter
<b>T63.614S</b>	Toxic effect of contact with Portugese Man-o-war, undetermined, sequela	Revised	Toxic effect of contact with Portuguese Man-o-war, undetermined, sequela
<b>Z92.25</b>	Personal history of immunosuppression therapy	Revised	Personal history of immunosuppression therapy

Lymphatics			
New			
2022 ICD-10 Codes			
Code	Description		
	No New ICD-10-CM code for 2022		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Maternity Care and Delivery			
New			
2022 ICD-10 Codes			
Code	Description		
	No New ICD-10-CM code for 2022		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/Deleted ICD-10-CM code for 2022		

## Musculoskeletal

### New

#### 2022 ICD-10 Codes

Code	Description		
<b>G04.82</b>	Acute flaccid myelitis		
<b>G44.86</b>	Cervicogenic headache		
<b>M35.05</b>	Sjogren syndrome with inflammatory arthritis		
<b>M45.A</b>	Non-radiographic axial spondyloarthritis		
<b>M45.A0</b>	Non-radiographic axial spondyloarthritis of unspecified sites in spine		
<b>M45.A1</b>	Non-radiographic axial spondyloarthritis of occipito-atlanto-axial region		
<b>M45.A2</b>	Non-radiographic axial spondyloarthritis of cervical region		
<b>M45.A3</b>	Non-radiographic axial spondyloarthritis of cervicothoracic region		
<b>M45.A4</b>	Non-radiographic axial spondyloarthritis of thoracic region		
<b>M45.A5</b>	Non-radiographic axial spondyloarthritis of thoracolumbar region		
<b>M45.A6</b>	Non-radiographic axial spondyloarthritis of lumbar region		
<b>M45.A7</b>	Non-radiographic axial spondyloarthritis of lumbosacral region		
<b>M45.A8</b>	Non-radiographic axial spondyloarthritis of sacral and sacrococcygeal region		
<b>M45.AB</b>	Non-radiographic axial spondyloarthritis of multiple sites in spine		
<b>M54.50</b>	Low back pain, unspecified		
<b>M54.51</b>	Vertebrogenic low back pain		
<b>M54.59</b>	Other low back pain		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		

### Revised or Deleted

#### 2022 ICD-10 Codes

2021		2022	
Code	Descriptor	Change	Descriptor
<b>G71.20</b>	Congenital myopathy, unspecified	Revised	Congenital myopathy, unspecified
<b>M35.03</b>	Sicca syndrome with myopathy	Revised	Sjogren syndrome with myopathy

Neurology			
New			
2022 ICD-10 Codes			
Code	Description		
<b>F78.A</b>	Other genetic related intellectual disabilities		
<b>F78.A1</b>	SYNGAP1-related intellectual disability		
<b>F78.A9</b>	Other genetic related intellectual disability		
<b>G04.82</b>	Acute flaccid myelitis		
<b>G92.0</b>	Immune effector cell-associated neurotoxicity syndrome		
<b>G92.00</b>	Immune effector cell-associated neurotoxicity syndrome, grade unspecified		
<b>G92.01</b>	Immune effector cell-associated neurotoxicity syndrome, grade 1		
<b>G92.02</b>	Immune effector cell-associated neurotoxicity syndrome, grade 2		
<b>G92.03</b>	Immune effector cell-associated neurotoxicity syndrome, grade 3		
<b>G92.04</b>	Immune effector cell-associated neurotoxicity syndrome, grade 4		
<b>G92.05</b>	Immune effector cell-associated neurotoxicity syndrome, grade 5		
<b>G92.8</b>	Other toxic encephalopathy		
<b>G92.9</b>	Unspecified toxic encephalopathy		
<b>M35.06</b>	Sjogren syndrome with peripheral nervous system involvement		
<b>M35.07</b>	Sjogren syndrome with central nervous system involvement		
<b>S06.A</b>	Traumatic brain compression and herniation		
<b>S06.A0</b>	Traumatic brain compression without herniation		
<b>S06.A0XA</b>	Traumatic brain compression without herniation, initial encounter		
<b>S06.A0XD</b>	Traumatic brain compression without herniation, subsequent encounter		
<b>S06.A0XS</b>	Traumatic brain compression without herniation, sequela		
<b>S06.A1</b>	Traumatic brain compression with herniation		
<b>S06.A1XA</b>	Traumatic brain compression with herniation, initial encounter		
<b>S06.A1XD</b>	Traumatic brain compression with herniation, subsequent encounter		
<b>S06.A1XS</b>	Traumatic brain compression with herniation, sequela		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

ObGyn			
New			
2022 ICD-10 Codes			
Code	Description		
<b>C56.3</b>	Malignant neoplasm of bilateral ovaries		
<b>C79.63</b>	Secondary malignant neoplasm of bilateral ovaries		
<b>C84.7A</b>	Anaplastic large cell lymphoma, ALK-negative, breast		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		



Oncology			
New			
2022 ICD-10 Codes			
Code	Description		
<b>C56.3</b>	Malignant neoplasm of bilateral ovaries		
<b>C79.63</b>	Secondary malignant neoplasm of bilateral ovaries		
<b>C84.7A</b>	Anaplastic large cell lymphoma, ALK-negative, breast		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Otolaryngology			
New			
2022 ICD-10 Codes			
Code	Description		
<b>P09.6</b>	Abnormal findings on neonatal screening for neonatal hearing loss		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Pathology & Lab			
New			
2022 ICD-10 Codes			
Code	Description		
P09.1	Abnormal findings on neonatal screening for inborn errors of metabolism		
P09.2	Abnormal findings on neonatal screening for congenital endocrine disease		
P09.3	Abnormal findings on neonatal screening for congenital hematologic disorders		
P09.4	Abnormal findings on neonatal screening for cystic fibrosis		
P09.5	Abnormal findings on neonatal screening for critical congenital heart disease		
R79.83	Abnormal findings of blood amino-acid level		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Pediatrics			
New			
2022 ICD-10 Codes			
Code	Description		
<b>E75.244</b>	Niemann-Pick disease type A/B		
<b>F78.A</b>	Other genetic related intellectual disabilities		
<b>F78.A1</b>	SYNGAP1-related intellectual disability		
<b>F78.A9</b>	Other genetic related intellectual disability		
<b>G04.82</b>	Acute flaccid myelitis		
<b>P00.82</b>	Newborn affected by (positive) maternal group B streptococcus (GBS) colonization		
<b>P09.1</b>	Abnormal findings on neonatal screening for inborn errors of metabolism		
<b>P09.2</b>	Abnormal findings on neonatal screening for congenital endocrine disease		
<b>P09.3</b>	Abnormal findings on neonatal screening for congenital hematologic disorders		
<b>P09.4</b>	Abnormal findings on neonatal screening for cystic fibrosis		
<b>P09.5</b>	Abnormal findings on neonatal screening for critical congenital heart disease		
<b>P09.6</b>	Abnormal findings on neonatal screening for neonatal hearing loss		
<b>P09.8</b>	Other abnormal findings on neonatal screening		
<b>P09.9</b>	Abnormal findings on neonatal screening, unspecified		
<b>R63.30</b>	Feeding difficulties, unspecified		
<b>R63.31</b>	Pediatric feeding disorder, acute		
<b>R63.32</b>	Pediatric feeding disorder, chronic		
<b>R63.39</b>	Other feeding difficulties		
<b>Z71.85</b>	Encounter for immunization safety counseling		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Psychiatry			
New			
2022 ICD-10 Codes			
Code	Description		
<b>F32.A</b>	Depression, unspecified		
<b>G92.0</b>	Immune effector cell-associated neurotoxicity syndrome		
<b>G92.00</b>	Immune effector cell-associated neurotoxicity syndrome, grade unspecified		
<b>G92.01</b>	Immune effector cell-associated neurotoxicity syndrome, grade 1		
<b>G92.02</b>	Immune effector cell-associated neurotoxicity syndrome, grade 2		
<b>G92.03</b>	Immune effector cell-associated neurotoxicity syndrome, grade 3		
<b>G92.04</b>	Immune effector cell-associated neurotoxicity syndrome, grade 4		
<b>G92.05</b>	Immune effector cell-associated neurotoxicity syndrome, grade 5		
<b>R45.88</b>	Nonsuicidal self-harm		
<b>Z91.51</b>	Personal history of suicidal behavior		
<b>Z91.52</b>	Personal history of nonsuicidal self-harm		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
<b>F32</b>	Major depressive disorder, single episode	Revised	Depressive episode

Respiratory			
New			
2022 ICD-10 Codes			
Code	Description		
<b>L24.B2</b>	Irritant contact dermatitis related to respiratory stoma or fistula		
<b>P09.4</b>	Abnormal findings on neonatal screening for cystic fibrosis		
<b>R05.1</b>	Acute cough		
<b>R05.2</b>	Subacute cough		
<b>R05.3</b>	Chronic cough		
<b>R05.4</b>	Cough syncope		
<b>R05.8</b>	Other specified cough		
<b>R05.9</b>	Cough, unspecified		
<b>T80.82</b>	Complication of immune effector cellular therapy		
<b>T80.82XA</b>	Complication of immune effector cellular therapy, initial encounter		
<b>T80.82XD</b>	Complication of immune effector cellular therapy, subsequent encounter		
<b>T80.82XS</b>	Complication of immune effector cellular therapy, sequela		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
<b>M35.02</b>	Sicca syndrome with lung involvement	Revised	Sjogren syndrome with lung involvement



Radiology			
New			
2022 ICD-10 Codes			
Code	Description		
<b>P09.1</b>	Abnormal findings on neonatal screening for inborn errors of metabolism		
<b>P09.2</b>	Abnormal findings on neonatal screening for congenital endocrine disease		
<b>P09.3</b>	Abnormal findings on neonatal screening for congenital hematologic disorders		
<b>P09.4</b>	Abnormal findings on neonatal screening for cystic fibrosis		
<b>P09.5</b>	Abnormal findings on neonatal screening for critical congenital heart disease		
<b>P09.6</b>	Abnormal findings on neonatal screening for neonatal hearing loss		
<b>P09.9</b>	Abnormal findings on neonatal screening, unspecified		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Surgery			
New			
2022 ICD-10 Codes			
Code	Description		
C56.3	Malignant neoplasm of bilateral ovaries		
C79.63	Secondary malignant neoplasm of bilateral ovaries		
K22.81	Esophageal polyp		
K22.82	Esophago gastric junction polyp		
K31.A	Gastric intestinal metaplasia		
K31.A0	Gastric intestinal metaplasia, unspecified		
K31.A1	Gastric intestinal metaplasia without dysplasia		
K31.A11	Gastric intestinal metaplasia without dysplasia, involving the antrum		
K31.A12	Gastric intestinal metaplasia without dysplasia, involving the body (corpus)		
K31.A13	Gastric intestinal metaplasia without dysplasia, involving the fundus		
K31.A14	Gastric intestinal metaplasia without dysplasia, involving the cardia		
K31.A15	Gastric intestinal metaplasia without dysplasia, involving multiple sites		
K31.A19	Gastric intestinal metaplasia without dysplasia, unspecified site		
K31.A2	Gastric intestinal metaplasia with dysplasia		
K31.A21	Gastric intestinal metaplasia with low grade dysplasia		
K31.A22	Gastric intestinal metaplasia with high grade dysplasia		
K31.A29	Gastric intestinal metaplasia with dysplasia, unspecified		
M45.A	Non-radiographic axial spondyloarthritis		
M45.A0	Non-radiographic axial spondyloarthritis of unspecified sites in spine		
M45.A1	Non-radiographic axial spondyloarthritis of occipito-atlanto-axial region		
M45.A2	Non-radiographic axial spondyloarthritis of cervical region		
M45.A3	Non-radiographic axial spondyloarthritis of cervicothoracic region		
M45.A4	Non-radiographic axial spondyloarthritis of thoracic region		
M45.A5	Non-radiographic axial spondyloarthritis of thoracolumbar region		
M45.A6	Non-radiographic axial spondyloarthritis of lumbar region		
M45.A7	Non-radiographic axial spondyloarthritis of lumbosacral region		
M45.A8	Non-radiographic axial spondyloarthritis of sacral and sacrococcygeal region		
M45.AB	Non-radiographic axial spondyloarthritis of multiple sites in spine		
R63.30	Feeding difficulties, unspecified		
R63.31	Pediatric feeding disorder, acute		
R63.32	Pediatric feeding disorder, chronic		
S06.A	Traumatic brain compression and herniation		
S06.A0	Traumatic brain compression without herniation		
S06.A0XA	Traumatic brain compression without herniation, initial encounter		
S06.A0XD	Traumatic brain compression without herniation, subsequent encounter		
S06.A0XS	Traumatic brain compression without herniation, sequela		
S06.A1	Traumatic brain compression with herniation		
S06.A1XA	Traumatic brain compression with herniation, initial encounter		
S06.A1XD	Traumatic brain compression with herniation, subsequent encounter		
S06.A1XS	Traumatic brain compression with herniation, sequela		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		

Vascular			
New			
2022 ICD-10 Codes			
Code	Description		
<b>D75.83</b>	Thrombocytosis		
<b>D75.838</b>	Other thrombocytosis		
<b>D75.839</b>	Thrombocytosis, unspecified		
<b>M31.10</b>	Thrombotic microangiopathy, unspecified		
<b>M31.11</b>	Hematopoietic stem cell transplantation-associated thrombotic microangiopathy [HSCT-TMA]		
<b>M31.19</b>	Other thrombotic microangiopathy		
<b>M35.0B</b>	Sjogren syndrome with vasculitis		
Revised or Deleted			
2022 ICD-10 Codes			
2021		2022	
Code	Descriptor	Change	Descriptor
	No Revised/ Deleted ICD-10-CM code for 2022		